
DEVALE



FREE VIA REDEMPTION

18V XR 5AH BATTERY PACK DCB184-XE



WHEN YOU PURCHASE

A SELECTED 18V / 54V XR COMBO KIT

18V / 54V 3 PIECE KIT 9AH DCZ333X2T-XE

18V / 54V 4 PIECE KIT 9AH DCZ441X2T-XE

18V XRP 2 PIECE KIT 6AH DCK296T2T-XE

18V / 54V 3PC KIT 6AH DCZ357T2T-XE

18V / 54V 3PC KIT 6AH DCZ341T2T-XE

18V XR BRUSHLESS 5 PIECE KIT 5AH DCK578P2-XE

18V XR BRUSHLESS 4 PIECE KIT 5AH DCK496P2-XE

18V XR BRUSHLESS 2 PIECE KIT 5AH DCK2094P2-XE

18V XR BRUSHLESS 3PC KIT 5AH DCK321P2-XE

18V XR BRUSHLESS 3PC KIT 5AH DCK320P2-XE

18V XR BRUSHLESS 2 PIECE KIT 5AH DCK296P2T-XE

GUARANTEEDTOUGH.COM.AUTO REDEEM TODAY

www. **DEWALT**..com.au

GUARANTEED TOUGH°.



GUARANTEED TOUGH. WARRANTY

3 YEAR

A repair warranty that applies to DEWALT branded products* in the unlikely event that the product becomes defective within 3 years of purchase due to faulty materials or workmanship. DEWALT guarantees to replace all defective parts free of charge or at discretion replace the unit. Proof of purchase required.

YEAR

FREE SERVICE CONTRACT

Applies to DEWALT branded products that require maintenance or service within 12 months of purchase. DEWALT will provide 1 service free of charge, undertaken by an authorised DEWALT service agent. Proof of purchase required.

30 DAY

NO RISK SATISFACTION GUARANTEE

If not completely satisfied with the performance of the DEWALT product, it can be returned to the point of purchase within 30 days for a full refund or exchange. Proof of purchase required.

* Unless specifically excluded within the product warranty information

www.DEWALT.com.au

DEWALT

18V XR & 18V / 54V XR BRUSHLESS KITS





18V / 54V 3 PIECE KIT 9AH 333X2T-XE

- DCD996 XRP 3 Speed Hammer Drill Driver
- DCF887 3 Speed Impact Driver
- DEEP TSTAK VI & TSTAK II
- XR FAST Charger 54V XR FLEXV
- DCH333 54V XR 3kg SDS-PLUS Rotary Hammer
- 2 x 9.0Ah 18V/54V XR FLEXVOLT Batteries



\$699

18V / 54V 4 PIECE KIT 9AH 441X2T-XE

- DCD996 XRP 3 Speed Hammer Drill Driver
- DCF887 3 Speed Impact Driver
- DCF899 18V XR Brushless 3 speed Wrench
- XR FAST Charger
- 2 x DEEP TSTAK VI
- 54V XR FLEX
- DCG414 54V XR 125mm Angle Grinder
- 2 x 9.0Ah 18V/54V XR FLEXVOLT Batteries



18V XRP 2 PIECE KIT 6AH 296T2T-XE

DCD996 XRP 3 Speed Hammer Drill Driver

FREE VIA REDEMPTION

- DCF887 3 Speed Impact Driver
- XR FAST Charger DEEP TSTAK VI

2

• 2 x 6.0Ah 18V/54V XR FLEXVOLT Batteries

18V / 54V 3PC KIT 6AH

- DCD996 XRP 3 Speed Hammer Drill Driver
- DCF887 3 Speed Impact Driver
- DEEP TSTAK VI & TSTAK II
- DCS575 54V XR 184mm Circ Saw
- 2 x 6.0Ah 18V/54V XR FLEXVOLT Batteries

18V / 54V 3PC KIT 6AH 341T2T-XE

- DCD996 XRP 3 Speed Hammer Drill Driver
- DCF887 3 Speed Impact Driver
- XR FAST Charger
- 2 x TSTAK II
- 54V XR FLEXV
- DCG414 54V XR 125mm Angle Grinder

• 2 x 6.0Ah 18V/54V XR FLEXVOLT Batteries

WHEN YOU PURCHASE

\$**999**





18V XR BRUSHLESS 4 PIECE KIT 5AH

- DCD996 XRP 3 Speed Hammer Drill Driver 2 x 5Ah 18V XR Batteries
- DCF894 1/2" Compact Mid Torque Wrench DCB115-XE Multi-Voltage
- DCF887 3 Speed Impact Driver

- Contractor Bag

TSTAK II

18V XR BRUSHLESS 5 PIECE KIT 5AH DCK578P2-XE

- DCD796 2 Speed Hammer Drill Driver
 DCF887 3 Speed Impact Driver
- DCS570 184mm Circular Saw
- DCP580 Planer
- DCS367 Compact Reciprocating Saw
- 2 x 5Ah 18V XR Batteries DCB115-XE Multi-Voltage

\$1399

- Charger
- Contractor Bag
- 1/2" Square to 1/4" Hex
 - TSTAK II



18V XR BL 3PC KIT 5AH

- DCD796 2 Speed Hammer Drill Driver DCF887 3 Speed Impact Driver
- DCS570 184mm Circular Saw
- 2 x 5Ah 18V XR Batteries
- DCB115-XE Multi-Voltage
- Charger Contractor Bag
- DCF894 1/2" Compact Mid Torque Wrench
 Multi Voltage Charger



18V XR BL 2PC KIT 5AH

- 2 x 5Ah 18V XR Batteries
- 1/2" Square to 1/4" Hex Adaptor



18V XR BL 3PC KIT 5AH

- DCD796 2 Speed Hammer Drill Driver
- DCF887 3 Speed Impact Driver
- DCG405 125mm Grinder Slide Switch

Multi Voltage Charger

- 2 x 5Ah 18V XR Batteries



18V XRP BL 2PC KIT 5AH DCK296P2T-XE

• DCD996 XRP 3 Speed Hammer Drill Driver • 2 x 5Ah 18V XR Batteries

FREE VIA REDEMPTION



WHEN YOU PURCHASE



18V / 54V 5 PIECE KIT 6AH





596T2T-XE

- DCD996 XRP 3 Speed Hammer Drill
- DCF887 3 Speed Impact Driver
- XR FAST Charger
- 2 x DEEP TSTAK VI
- DCS575 54V XR 184mm Circ Saw
- DCG414 54V XR 125mm Angle
- DCS388 54V XR Reciprocating Saw
- 2 x 6.0Ah 18V/54V XR FLEXVOLT

KIT INCLUDES





3 SPEED IMPACT

X

DCF887



54V XR 184MM

DCS575

Dust blower







54V XR

RECIPROCATING

XRP 3 SPEED HAMMER DRILL

CIRC SAW **DRIVER**

X FLEX

X FLEX **DCG414**

Electronic Brake

54V XR 125MM

ANGLE GRINDER



DCD996 3 Speed Mechanical

0-450/1,300/2,000 RPM

Increased runtime and

longer tool life

High powered brushless

Delivers 205Nm of

Ensures heavy applications are

Clear line of sight

Optimal precision

Safety and tool

Stops the wheel quickly when the trigger is

54V Brushless Motor

Improved performance in demanding applications

Maximum power

LED light

Precision Drive

completed quickly

54V Brushless Motor

Mesh covers

Variable speed

3 Position LED torch

High/Medium/Low settings with High output

3 motor speeds and torque settings

Application control

Super lightweight &

Comfortable to use & fits

High torque

Durability and power for cutting job site and

joinery materials

Mesh cover over air intake vents restricts dust being sucked through the motor

Electronic Clutch

Safety and tool protection

Increases tool life

Intelligent variable speed

Maximum precision and control

Flush cutting

Electronic clutch

11 position adjustable

torque control

Optimised precision

0.94kg

Quick change depth/


Variable adjustment of the bevel angle to 57

for safe, fatigue free

Two position blade

Reduces the kickback in the event of a pinch

Increased versatility



PURCHASE

FREE VIA REDEMPTION

IID TORQUE / HIGH TORQUE WRENCH





.\$919

- No Load Speed 0 980rpm
- Max. Drilling Capacity Concrete 26mm
- Hand/Arm Vibration drilling into Concrete 8.5m/s2
- Blows Per Minute 0 4480bpm
- Impact Energy 2.8J
- 2 x 5AH 18V XR Batteries
- DCB115-XE MULTI-VOLTAGE CHARGER

FREE VIA REDEMPTION

\$649 **\$729 \$729**

FREE VIA REDEMPTION



54V XR FLEXVOLT SDS+

DCF894P2-XF

 No Load Speed 0 - 1000rpm Max. Drilling Capacity Concrete 30mm

• Hand/Arm Vibration - drilling into Concrete 7.5m/s2

Blows Per Minute 0 - 4480bpm

• Impact Energy 3.5J

- 2 X 9AH 18V/54V XR FLEXVOLT Batteries
- XR FAST CHARGER

DCH333X2-XE

T-STAK KIT BOX



18V XR GEN3 FRAMING NAILER DCN692

The NEW DCN692 GEN3 18V Framing Nailer features a completely redesigned motor, delivering 20% more inertial energy than the previous model. Featuring two speed settings, a large capacity magazine, adjustable depth and dry fire lock out. The DCN692 is a high performance framing nailer delivering outstanding speed, performance, durability and runtime needed for intensive professional applications.







EASY ADJUSTMENT Tool-free depth adjust helps you work faster



FAST PROBLEM SOLVING Tool-free stall release minimises downtime



RAFTER HOOK Increased portability and versatility on site

20%
MORE POWER*

2/SEC CYCLE RATE

UP 55
NAIL CAPACITY

*than previous model type



18V XR ELECTRICIAN'S STAPLER

FASTENING CABLES HAS NEVER BEEN SIMPLER



COMPACT AND LIGHTWEIGHT Significantly increases speed and productivity



DRY FIRE LOCK-OUT FUNCTION
Stops operation and warns the
user to replenish the staples



PORTABILITY
Compact frame and short
height allows for easy operation
between joists, studs or rafters

The DCN701 18V XR Stapler allows electrical contractors to secure cables on the jobsite faster and more consistently. The tool automatically adjusts depth of drive based on cable thickness and fits without pinching. A compact size of 200mm allows the user to work between joists and a built in LED light illuminates the working area when power isnt available.

AUTOMATIC DEPTH CONTROL 200MM WORKING LENGTH **LED** LIGHT



ULTIMATE SAFETY. MAXIMUM PRODUCTIVITY.





ADVANCED DUST MANAGEMENT SOLUTIONS

When the Perform & Protect badge is awarded for dust, the potential of inhaling dust is dramatically reduced to give a safer and cleaner working environment.



UP TO 50% LESS VIBRATION

When the Perform & Protect badge is awarded for vibration, tri-axial vibration levels have been reduced, increasing usage time without reducing performance.



COMPLETE TOROUE CONTROL

When the Perform & Protect badge is awarded for control, additional innovative torque control safety features have been incorporated in to the design of









54V XR FLEXVOLT M-CLASS DUST EXTRACTOR DCV586M

Powered by 54V XR FLEXVOLT technology the DCV586M is the ultimate dust extraction solution for a new generation of cordless tools and the key to unlocking the cordless jobsite.

The DEWALT BRUSHLESS motor and high capacity XR FLEXVOLT battery coupled with dual M-Class certified filters with automatic cleaning delivers powerful, constant performance and runtime for the most demanding applications.



	Wet / dry
	Tool actua
	Capacity
	Hose leng
rireless	

Other features include a remote for w operation, a recessed battery housing to protect from jobsite conditions and TSTAK compatibility.





DCV586M

ool actuation

se length

Filter clean

DCV586MT2-XE

Wireless keyfob

11 L

2.5 m

\$899 (BARE)

\$549





DUST MANAGEMENT

Advanced Dust Extraction Solutions.

The Perform & Protect dust certification logo guarantees that the risks of dust inhalation are considerably reduced, to work in a cleaner and more secure environment.





DWV902M-XE \$859

DCV902M	
Power Input	1400W
Max Airflow	31.1I/sec
Capacity	38L
Power Take Off Rating	1000W
Wet/Dry	Yes



FREE VIA REDEMPTION

DWE4257-XE



WHEN YOU PURCHASE

EXTREME® HOLLOW DRILL BITS

SDS-max® 4 CUTTER

CAT. NO.	Ø MM	WORKING LENGTH MM	TOTAL LENGTH MM	CUTTERS	PACK QTY.	RRP
DT60230-QZ	16	400	600	4		\$244.99
DT60231-QZ	18	400	600	4	1	\$249.99
DT60232-QZ	20	400	600	4	1	\$259.99
DT60233-QZ	24	400	600	4	1	\$264.99
DT60234-QZ	28	400	600	4	1	\$299.99
DT60235-QZ	32	400	600	4	1	\$329.99



SDS-plus® 2 CUTTER

CAT. NO.	Ø MM	WORKING LENGTH	TOTAL LENGTH	CUTTERS	PACK QTY.	RRP
DT60340-QZ	12	200	320	2	1	\$94.99
DT60341-QZ	14	250	370	2	1	\$114.99
DT60342-QZ	16	250	370	2	1	\$124.99
DT60343-QZ	18	250	370	2	1	\$144.99




EXTREME® DIAMOND GRINDING CUPS

SINGLE PACKS

CAT. NO.	DIAMETER MM	SHANK	SEGMENT HEIGHT MM	CUP	PACK QTY.	RRP
DT3796-QZ	125	M14	6	DOUBLE	1	\$89.99
DT3797-QZ	125	M14	6	TURB0	1	\$99.99
DT3795-QZ	125	M14	5	SINGLE	1	\$69.99







1850W LIGHTWEIGHT TABLE SAW 210MM

DWE7485-XE

- 1850W 610M Right Rip
- Rack & Pinion Fence for Increased Accuracy

BONUS* DE7450-XJ



\$849

FREE VIA REDEMPTION

• Up to 110m hardwood veneer laminate flooring.**

FLEX

• Cuts up to 83m 19mm plywood.**

• Cuts up to 75m 16mm melamine.**

6.0AH STARTER KIT

54V

210MM

DCS7485N-XJ



TABLE SAW



26.6kg

*Bonus in store at participating retailers

CIRCULAR SAW BLADES



OPTIMISED FOR CORDLESS

Up to 2x more cuts per charge and ideal for FlexVolt tools.

C3 NEXT GENERATION CARBIDE

Up to 3 regrinds.

THIN KERF

Ideal for cordless and less push force required.

EXPANSION SLOTS

Dampen noise and vibration.

PATENTED GRIND ANGLES

For faster cuts with lower force.

	CAT. NO.	BLADE Ø MM	BORE Ø MM	BLADE THICKNESS MM	KERF THICKNESS MM	KERF TYPE	NO. OF TEETH	TOOTH DIRECTION	TOOTH GEOMETRY	TOOTH ANGLE	N MAX	RRP
	DT99565-QZ	210	30	1.24	1.8	THIN	24	CLOCKWISE	ATB+R	20°	7000	\$34.99
	DT99566-QZ	210	30	1.24	1.8	THIN	36	CLOCKWISE	ATB+R	20°	7000	\$39.99
ľ	DT99567-QZ	210	30	1.24	1.8	THIN	60	CLOCKWISE	ATB+R	20°	7000	\$45.99
	DT90273-QZ	254	16/20/25/25.4/30	1.6	2.16	THIN	24	CLOCKWISE	ATB+R	7°	5500	\$44.99
i	DT90274-QZ	254	16/20/25/25.4/30	1.6	2.16	THIN	40	CLOCKWISE	ATB+R	7°	5500	\$54.99
ı	DT90275-QZ	254	16/20/25/25.4/30	1.6	2.16	THIN	60	CLOCKWISE	ATB+R	7°	5500	\$64.99
	DT99574-QZ	305	16/20/25/25.4/30	1.6	2.16	THIN	42	CLOCKWISE	ATB+R	7°	4800	\$64.99
	DT99575-QZ	305	16/20/25/25.4/30	1.6	2.16	THIN	60	CLOCKWISE	ATB+R	7°	4800	\$79.99
	DT99576-QZ	305	16/20/25/25.4/30	1.6	2.16	THIN	78	CLOCKWISE	ATB+R	7°	4800	\$84.99

EXTREME® CIRCULAR SAW BLADES

BULK PACK VALUE

(EACH) \$27.99

DCN701D2-XE

EXTREME® 184MM X 24 TOOTH 10 X BULK PACK

DEWALT EXTREME® circular saw blades use C3 next generation carbide which can be sharpened up to 3 regrinds and has 2X life compared to the DEWALT Construction series circular saw blade range.

Expansion slots dampen noise and vibration while the thin kerf makes it ideal for cordless circular saws with less push force required.

The ultra sharp carbide teeth reduces tear out which are designed with optimisedz grind angles for a better quality cut.



DT90258-QZ

Blade Ømm	184
Bore Ø mm	16/20
Blade Thickness mm	0.99
Kerf Thickness mm	1.65
Kerf Type	Thin
No. of Teeth	24
Tooth Direction	Anti-clockwise
Tooth Geometry	ATB
Tooth Angle	18°
N MAX RPM	7000

*Compared to DEWALT Construction Series











DHS780T2A-XE

Power Input	2 x 54V Cordless or 230V AC
Blade Speed	3800RPM
Blade Diameter	305mm
Blade Bore	25.4mm
Mitre Capacity	60/50°
Bevel Capacity	49/49°
Max. Depth of Cut	170mm
Width x Height x Depth	770 x 369 x 470mm
Weight	25kg

- UP TO **161 CUTS** 100 x 100mm PRESSURE TREATED PINE
- UP TO 289 CUTS 90mm BASE MOULDING

Kit Includes

- 2 x 6.0Ah 18/54V XR FLEXVOLT Battery Packs


 • AC Power Adaptor
- XR Dual Port Charger



2 x 54V Cordless or 230V AC Power









XPS work light -

excellent cutline visibility,







305MM SLIDING MITRE SAW


Compact portable design.

DWS780-XE (CORDED 230V)

Power Input	1675W
Blade Speed	3800RPM
Blade Diameter	305mm
Blade Bore	25.4mm
Mitre Capacity	60/50°
Bevel Capacity	49/49°
Max. Depth of Cut	170mm
Width x Height x Depth	770 x 396 x 470mm
Weight	25kg

Kit Includes

- 60 Tooth Blade
- Dust Bag
 - Material clamp





Blade Spanner

BONUS*

LONG BEAM MITRE SAW STAND DWX723-XE



*Bonus in store at participating retailers









The Green Beam laser offers the very latest in professional, self-levelling laser design. The benefits of Green Beam lasers include:

• Class-leading accuracy • Higher visibility - up to 4x brighter than Red Beam • Green diode design offers extended working hours and wider operating temperatures

GREEN BEAM

FREE VIA REDEMPTION

GREEN DETECTOR AND 1/4" TRIPODDE0881T-XJ, DE0892G-XJ



WHEN YOU PURCHASE 3X360° GREEN REAM CROSS LINE LASER

X360° GREEN BEAM CROSS LINE LAS DCE089D1G



1/4" THREAD ELEVATED LASER TRIPOD

DE0881T-XJ

- Dimensions: .60m 1.70m (legs closed)
- Weight: 3.5kg
- Material: Aluminium



LASER DETECTOR FOR GREEN BEAM

DE0892G-XJ

- Heavy-duty quick release clamp and mounting bracket included
- Audible signal with adjustable
- Top-mounted magnets for attachment to ceiling track or steel studs
- 9V battery included



IN ALL THINGS SCREWS WE'VE GOT YOU COVERED

BUY IN BULK TUBS AND SAVE



SCREW TYPE	FINISH	HEAD TYPE	DIMENSIONS	MATERIAL #	PACK QUANTITY	RRP
	CLASS 3	BUTTON HEAD	Ø8-18X12	DFS431-PT	1000	\$84.00
METAL SELF DRILLING	CLASS 3	BUTTON HEAD	Ø8-18X16	DFS433-PT	1000	\$89.50
	CLASS 3	CSK HEAD 6 NIBB	Ø10-16X45	DFS404-PT	500	\$52.50
NEEDLE POINT	ZINC YELLOW	BUGLE HEAD	Ø6-18X25	DFS082-PT	1000	\$20.00
	CLASS 3	BUGLE BATTEN	Ø14-10X50	DFS700-PT	500	\$53.50
	CLASS 3	BUGLE BATTEN	Ø14-10X75	DFS702-PT	500	\$60.00
TYPE 17 BUGLE BATTEN	CLASS 3	BUGLE BATTEN	Ø14-10X100	DFS704-PT	250	\$41.00
	CLASS 3	BUGLE BATTEN	Ø14-10X125	DFS705-PT	250	\$86.00
	CLASS 3	BUGLE BATTEN	Ø14-10X150	DFS706-PT	125	\$52.50
	304 S/S	CSK HEAD	Ø10-12X50	DFS751-PT	250	\$28.50
TIMBERDEK	304 S/S	CSK HEAD	Ø10-12X65	DFS752-PT	250	\$32.50
OUUDDOADD	ZINC YELLOW	CSK HEAD 6 NIBB	Ø8-9X25	DFS004-PT	1000	\$40.00
CHIPBOARD	ZINC YELLOW	CSK HEAD 6 NIBB	Ø8-9X32	DFS008-PT	1000	\$42.00

*While stocks last, dependent on availability in-store. Check in store for details.

OUTDOOR POWER EQUIPTMENT



FREE VIA REDEMPTION

DCR006-XJ



ANY 2 SELECTED BARE UNITS FROM THE LANDSCAPING RANGE

DCMW564N-XE

18V XR BRUSHLESS POLE SAW DCMPS567N-XE

18V XR BRUSHLESS SPLIT SHAFT LINE TRIMMER DCM561PBS-XE

DCM563PB-XE

18V XR BRUSHLESS CHAINSAW DCM565N-XE

DCM562PB-XF

DCM5713N-XE

54V XR FLEXVOLT BRUSHLESS CHAINSAW DCM575N-XE

54V XR FLEXVOLT AXIAL BLOWER DCMBA572N-XE



18V XR BRUSHLESS SPLIT SHAFT LINE TRIMMER (BARE UNIT)

- Up to 54 mins runtime (DCB184) • 33cm swathe with 2.0mm line
- Variable 2 speed control
- 0-4600/0-6000rpm
 High efficiency brushless motor
- Automatic bump feed
- Wrap around aux handle



18V XR BRUSHLESS POLE SAW (BARE UNIT) Powerful 18V Brushless Motor 20cm Low Kick Back Bar and Chain

- Metal Bucking Strops and Tree Hook
- 1.5m reach extendable to 4.5m



18V XR HEDGE TRIMMER (BARE UNIT)

- Up to 70 mins runtime (DCB184)
- 55cm Dual action, hooked-tooth laser cut
- 1400spm Cutting strokes/min
- 19mm Cutting gap
- Wrap around aux handle



18V XR BRUSHLESS CHAINSAW (BARE UNIT)

- Power Output: 600W
- Runtime: 70cuts at 100x100mm (DCB184)
- Chain Speed: 8m/s
- Cut Capacity: 30cm, 3/8"
 Maintenance: Tool-free with auto oiling
 Noise Power: 96.5dB(A)
- Vibration: 3.5m/s²



18V XR BLOWER (BARE UNIT)

- Up to 20 mins runtime (DCB184)
- 400CFM air volume & and 145km/h
- Variable speed trigger with speed lock
- High efficiency brushless motor
- Free standing base
- Lightweight & compact 2.6kg







54V XR FLEX **BRUSHLESS AXIAL BLOWER**

- Air Speed: 200km/h
- Air Volume: 650CFM
- Control: Variable speed trigger
- Ease of Use: Lock-On Trigger at desired speed
 Axial Design provides optimized balance



54V XR FLEXV **BRUSHLESS SPLIT SHAFT LINE TRIMMER (BARE UNIT)**

- Power Output: 530WRuntime: 46min (DCB547)
- Cut Speed: 0-5600/6600RPM
- Cut Capacity: 38cm Swathe, 2.0mm line
- Control: Variable speed trigger
- Noise Power: 94dB(A)
 Vibration: 10.1m/s²



2 X 18V XR

BRUSHLESS MOWER

- Power Output: 1400W
 Runtime: 800m² (2x DCB184)
- Collection Bag: 55L
- Cut Capacity: 48cm with 51cm Metal deck
- 5 Cutting Heights: 25-86mmNoise Power: 92dB(A)
- Vibration: 2.5m/s²



NO FUMES

810 Whitehorse Road Box Hill VIC, Australia 3128 Telephone: 1800 338 002 Fax: 1800 080 898

www.DEWALT.com.au

Your DeWALT Dealer:

REGISTER AT

Be the first to see product news and special offers from DeWALT. Register at MYDeWALT to be sent onsite offers by email. Simply go to www.DeWALT.com.au/MYDeWALT

